Tri Clamp Ferrule Dimensions and Sanitary Ferrule Size Chart

Explore Alloys & Verified suppliers in Middle East

مواد الأنابيب

اكتشف السبائك والموردين المعتمدين في الشرق الأوسط

www.pipingmaterial.ae



أبعاد الطويق ثلاثي المشبك

View sanitary ferrule dimensions as per ISO1127, DIN 32676, BS 4825 standards

Tri clamp ferrule dimension

Size (Tube OD)	Part Number		Dimensions				Wall Thickness
	304	316L	A	B	C	D	
1/2"	NA	L14AM7-.50-316	1.125	0.370	0.500	0.992	0.065
3/4"	NA	L14AM7-075-316	1.125	0.620	0.750	0.992	0.065
1"	-304	-316	1.125	0.870	1.000	1.984	0.065
1-1/2"	-304	-316	1.125	1.370	1.500	1.984	0.065
2"	-304	-316	1.125	1.870	2.000	2.516	0.065
2-1/2"	-304	0.5-316	1.125	2.370	2.500	3.047	0.065
3"	-304	-316	1.125	2.870	3.000	3.579	0.065
4"	-304	-316	1.125	3.834	4.000	4.682	0.083
6"	-304	-316	1.500	5.782	6.000	6.562	0.109
8"	-304	-316	1.500	7.760	8.000	8.602	0.109
10"	-304	-316	1.500	9.782	10.000	10.570	0.109
12"	L14AM7-12-304	-316	1.500	11.760	12.000	12.570	0.120



Tri clover ferrule dimensions and ferrule clamp size available in 0.065 Wall Thickness

Sanitary Size	Flange OD	ID of Tube	OD of Tube
1/2"	0.984	0.370	0.500
3/4"	0.984	0.620	0.750
1"	1.984	0.870	1.000
1 1/2"	1.984	1.370	1.500
2"	2.516	1.870	2.000
2 1/2"	3.047	2.370	2.500
3"	3.579	2.870	3.000
4"	4.682	3.834	4.000
6"	6.562	5.782	6.000
8"	8.602	7.782	8.000
10"	10.570	9.782	10.000
12"	12.570	11.760	12.000

How can you measure a long clamp size?

Check TC ferrule dimensions available in 304 & 316L Stainless Steel material

Tri clamp reducing, weld and long ferrule used in food, dairy, pharmaceutical and beverage manufacturing environments

L14AM7 ferrule dimensions and long clamp sizes available from 1/2" to 12"

www.pipingmaterial.ae

Piping material.ae
Explore Alloys & Verified suppliers in Middle East

مواد الأنابيب
اكتشف السبائك والموردين المعتمدين في الشرق الأوسط

Email :
support@pipingmaterial.ae

Call :
+971 553561751

Address :
Office no. 1309, 13th Floor,
Creative Tower, Fujairah, Post Box 4422,
UAE (United Arab Emirates)